

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

S235JR-S275JR: 6 Meters

DATE: 19/02/2018

KG	ESPESOR/THICKNESS														
ANCHO/WIDTH	8	10	12	15	16	20	25	30	35	40	45	50	60	70	80
40							4.635								
50		1.310	600							31.750					
55						1.845									
60			480	1.140				1.475							
65						720									
70			11.300			8.140			9.015			2.705			
80	2.740	8.675		2.375				3.575				2.340			
90		3.725	9.465	4.770					1.190					6.400	
95							990								
100	1.280		10.305			14.165		3.810	1.550				1.740		
110			760	420					1.100				2.890		830
120		9.590	9.920	2.360		4.890	28.930		420		3.060		680	4.785	
130		3.225	4.055			9.160	8.725		5.255	6.975	6.220				
140	2.480		5.770	4.280	2.530	3.805		9.545				5.665	4.805	8.420	
150			1.125	11.945	710	1.600	2.905			1.435			1.700		
160	6.110	4.600	2.450	11.295	1.585		3.385		2.970	13.445	700	5.025		4.320	
170	11.760	2.595	6.670	4.410		2.125									
180		4.470	7.370	9.270		16.720	5.590		5.200				8.365		
190				400											
200		26.990		7.245		3.210	16.520			4.600	2.140	5.400	8.115		
210				2.145											
220	5.140					1.255	10.460	22.845		9.245	955				
230		5.250		7.715		9.985	5.775								
240			7.135	5.785				7.115							
250		1.570		1.460		750		19.050							
260			4.595			7.385		7.945							
270				4.045		7.955									
275		3.395													
280			47.070				5.330								
300				2.520			4.605	9.955							

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 19/02/2018

S235JR-S275JR: 12 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS										
	8	10	12	15	20	25	30	40	50	55	60
50		2.950									
60		2.575									
80		2.125		3.420							
90										1.895	
100		670	8.855	4.160							
120	4.295	7.025			895						
130								4.935			
140									1.360		800
150		12.445	10.640	4.670					1.440		
160		2.975	2.330	2.385	905						
180	2.545		2.255		12.810	2.955					
200		2.480		3.910			3.430				
220	19.810	4.900	1.495			4.675	20.330				
240			3.460								
250		1.910	8.435	10.610	21.715	18.800	94.360				
260		11.080									
280		17.655									
300		25.145	31.415	9.415	21.950	4.880					

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

S355J2: 6 Meters

DATE: 19/02/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS												
	8	10	12	15	20	25	30	35	40	45	50	60	70
45						2.120							
50				1.485		2.400							
60		2.440		705		3.335		1.190	2.345		2.275		
70		1.085	410		10.550			2.695					
80	31.070	34.325	1.675	2.440	150	2.600	1.540				2.340		
85				2.445									
90			7.620	1.150				4.205		2.160			
100	15.115		380	5.065	1.605		1.150						335
110			3.295	2.525	6.735	7.455		3.750			6.945		8.055
120		6.800	2.215	3.355	15.015	1.750	4.535			4.665			25.900
125						3.895							
130	3.010	1.455	10.570	945	610	4.155	3.365					3.005	
140		850	1.110	800	4.565	1.490	800		3.735	1.770		2.405	
150	2.305	650	2.095	2.415	705	1.635		3.795					
160	390	2.135		690	1.880						5.070	9.330	
170			680		500	600					1.645		
180	7.660	2.990	7.815	1.130			760			1.145		6.700	
200		12.820	945		15.895	2.330	3.215						
220	10.490	5.355		1.840		510	24.120				2.685		
240		2.890									1.725		
250			1.155		2.440	20.550	60.375	1.275			3.640		
260				1.135									
275					640								
280				635									
300		3.165	30.055			3.280	17.110						

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

S355J2: 12 Meters

DATE:19/02/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS										
	8	10	12	15	16	20	25	30	35	40	60
50								1.050			
60										2.310	
80				140							2.730
100	14.660	7.475	2.125	10.445		13.685	250				
110											2.470
120	270	22.335	3.395	5.100		8.125	8.010				
130			1.605				11.495				
140		2.615			4.460						
150		32.210	695	4.865		38.275	2.150				
160		2.555						3.575			
180		14.135	20.485	9.660		3.640	4.700				
200		8.940	4.070	6.250		4.175					
220	17.150	3.010	2.275			855	32.170	27.050			
250		3.085	585	7.910		21.380	22.020	46.785	3.295		
300		11.740	17.220	1.270		35.735		7.740			

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

C45: 6 Meters

DATE :19/02/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS												
	8	10	12	15	20	25	30	35	40	50	60	80	
50				2.535									
60							4.150						
70								1.400					
80		7.080						2.385					
90			1.895						1.565				
100		940									1.135		
110	560					2.150				2.940			
120			1.920										
130	650												
140				6.515									
150		3.525											
160						6.860		3.780	2.780				
180		1.765	2.130										
190						2.470							
200					2.170	1.175							14.415
250				1.480				2.125					

C35: 6 Meters

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 19/02/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	10	12	15	20	25	40	50	60	70	80
40				1.625						
55						2.590				
70		6.955	1.980				1.820			
90					3.825		7.535			
100						765			6.670	1.900
110	1.080					2.095				
120					2.160				7.085	5.450
130	500							2.250		
140				3.705						
150							3.575			3.435
160				1.095						
170				320						

16MnCr5: 6 Meters

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE:19/02/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS			
	20	25	40	50
60		1.950	1.045	
70				1.035
100				2.210
110			425	
120	2.075			

27MnB5-2: 6 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS							
	20	12	15	20	25	30	35	40
50	2.325					4.300		
60				3.170			425	
70						9.735	1.440	
80		1.125	16.850					13.385
120		560						
150		2.460						
200					2.890			