

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

S235JR-S275JR: 6 Meters

DATE: 16/04/2018

KG	ESPESOR/THICKNESS															
	ANCHO/WIDTH	8	10	12	15	16	20	25	30	35	40	45	50	60	70	80
40								4.635								
50		3.770	600					2.160			24.535					
60			480	1.140												
65							720									
70			11.300				8.140			9.015			2.705			
80	4.630	10.800		2.375									2.340			
90		3.725	9.465	4.770					3.320	1.190					6.400	
95								990								
100	1.280		10.305				14.165		7.770	1.550				1.740		
110		2.535	760	420						1.100				2.890		830
120		9.590	9.920	2.360			4.890	24.430		420		4.615		680	4.785	
130		3.225	4.055				9.160	8.725		3.505	6.975	5.090				
140	2.480		5.770	4.280		2.530	5.715		7.155				5.665	4.805		
150			3.545	11.945		710	1.600	2.905			1.435			1.700		
160	6.110	4.600	2.450	11.295		1.585		3.385		2.970	13.445	700	5.025		4.320	
170	11.760	2.595	6.670	4.410												
180		4.470		4.885			12.130	5.590		5.200				8.365		
190				400												
200		21.125		8.710			3.210	16.520			4.600	2.140	5.400	8.115		
210				2.145												
220	1.735						1.255	10.460	22.845		14.345	955				
230		5.250		7.715			9.985	5.775								
240			7.135	5.785					7.115							
250		1.570					2.245		19.050							
260			4.595				7.385									
270				4.045			5.395									
275		3.395														
280			2.405					5.330								
300							1.160		7.765							

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY
DATE: 16/04/2018

S235JR-S275JR: 12 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS										
	8	10	12	15	20	25	30	40	50	55	60
50		520									
60		2.575									
80				3.420							
90										1.895	
100		670	8.855	4.160							
120	4.295	3.515			895						
130								4.935			
140									1.360		800
150		815	10.640	2.535					1.440		
160		2.975	2.330	2.385	905						
180	2.545		2.255		1.020	2.955					
200		2.480		1.465			3.430				
220	19.810		1.495			6.785	20.330				
240			3.460								
250		25.470		4.940		16.445	94.360				
260		11.080									
280		17.655									
300		15.040	31.415			4.880					

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

S355J2: 6 Meters

DATE: 16/04/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS												
	8	10	12	15	20	25	30	35	40	45	50	60	70
45						2.120							
50				1.485	580	2.400							
60		2.440		705				1.190	2.550		2.805		
70		1.085	410					4.820					
80	28.590	17.560	1.675	2.440	1.090	2.600	2.455				2.125		
85				2.445									
90			7.620	1.150				4.205		2.160			
100	3.700		380	140			1.150						335
110			785	2.525	6.735	2.155		3.750			5.890	3.865	8.055
120		1.100	2.215	1.970	11.855	1.750	2.440		2.790	4.665			25.900
125						3.895							
130	3.010	5.620	10.570		610	2.300						3.005	
140			1.110	800						1.770		2.405	
150	5.515	1.640	2.095	2.415	705	1.635		3.795	2.050			2.655	
160	390	2.135		2.525	1.880						5.070	9.330	
170			680		500	600					1.645		
180	7.660	4.680	2.615						6.435	1.145		6.700	
200		5.430	945			2.330	3.215						
220	10.490	5.355		4.695			24.120				2.685		
240		1.150									1.725		
250			1.155		2.440	20.550	56.725	1.275			3.640		
260				1.135									
275					640								
280				635									
300		3.165	24.015		1.130	1.420	14.490						

S355J2: 12 Meters

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE:16/04/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	8	10	12	15	16	20	25	30	35	60
80				140						
100	14.660	7.475	2.125	3.115		7.685	250			
110										2.470
120	270	16.260	3.395	5.100		8.125	5.405			
130			1.605			11.495				
140		2.615			4.460					
150		28.205	695	4.865		23.820	2.150			
160		2.555								
180		5.910	6.455			2.350	4.700			
200		6.135		3.400		4.175				
220	17.150	3.010				1.700	29.565	27.050		
250		48.710	17.175	44.075		47.950	39.355	46.785	3.295	
300		11.740	7.580	1.270		5.740	43.750	36.055		

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

C45: 6 Meters

DATE :16/04/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS											
	8	10	12	15	20	25	30	35	40	50	80	
50				2.535								
60									1.080	8.100		
70		7.080						2.385				
80			1.895									
90	560					2.150				1.075		
110											1.395	
130	650											
140			2.535									
150		3.525										
160						6.860		3.780	2.780			
180		1.765	2.130							3.360		
190						2.470						
200					2.170	1.175						12.130
250				1.480				2.125				

C35: 6 Meters

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 16/04/2018

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	10	12	15	20	25	40	50	60	70	80
40				1.625						
55						2.590				
70		6.955	1.980				1.820			
90					3.825		7.535			
100						765			6.670	1.900
110	1.080					2.095				
120					2.160				7.085	5.450
130	500							2.250		
140				3.705						
150							3.575			3.435
160				1.095						

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 16/04/2018

16MnCr5: 6 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS			
	20	25	40	50
60		1.045		
70			1.035	
100		425		
110	2.075			
120				2.420

27MnB5-2: 6 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	10	12	15	20	25	30	35	40	50	
50	2.325					3.575				
60				3.170			2.970			
65				2.080						
70						14.415	4.655			
80		1.125	16.850			2.435	4.575	13.385	7.070	
120		560								
150		2.460								
160		6.870								
200					2.890					