



CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 22/06/2017

**S235JR-S275JR: 12 Meters**

KG ANCHO/WIDTH	ESPESOR/THICKNESS											
	8	10	12	15	20	25	30	40	50	55	60	
50		4.830										
60		9.585										
80		6.995		345								
90										1.895		
100			11.195	4.160	4.825	2.320						
110								4.555				
120	4.295	7.460	1.905		895		1.025	6.770				
130								4.935	2.490			
140									1.360		800	
150		4.685	10.640	8.140					1.440			
160		2.975		2.385	905							
180	2.545		4.035	2.065	22.230	5.545						
200		3.395	1.350	3.910			3.430					
220	19.810		21.690	615		27.285	20.330					
240			3.460									
250		42.365	18.725	30.070		33.795	95.045					
260		11.080										
280		17.655										
300		13.610	7.645	38.020		26.585						

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

**S355J2: 6 Meters**

DATE: 22/06/2017

KG	ESPESOR/THICKNESS													
ANCHO/WIDTH	8	10	12	15	20	25	30	35	40	45	50	60	70	80
40				1.620										
45						2.120								
50			2.510	1.485	1.715	4.800	2.125							
60		3.725		3.160		11.995		1.490			12.805			
70		7.545	4.570			4.140		1.190						
80	39.130	12.550	15.890		7.355	5.800					7.380			
85				2.445										
90			18.835		5.945	4.365	5.435	4.205	9.730	2.160		2.830		
100	17.570	2.905	380	23.180	2.060		4.390				1.415	1.710	335	
110			2.545	9.470	6.735	5.995		3.750			13.350		11.745	
120	2.795	10.615	405	4.190	10.205	8.170	2.370		3.015	4.665	2.360		31.515	
125						8.545								
130	850	1.455	10.570	11.095	610	11.570					4.425	9.730		
140			8.195	2.675	2.450			1.400		1.770	2.710			3.200
150	1.940	15.355	600	9.175	6.380	2.580	840	3.025	2.575					
160	3.825	4.375		2.525	2.940	3.700			2.100		2.720	17.700		
170				4.615	5.140	5.255					4.085			
180	13.080	2.640	30.890	1.150	25.435		760			1.145		15.415		
200		3.630		2.735	200		7.990	1.685				1.165		750
210												3.780		
220	25.630	44.010	6.330	3.430	5.545	12.875	29.260		4.370		2.685			
225		580												
240		5.370					1.710				1.725			
250		3.655	30.970	8.620	8.420	65.010	75.720	1.275			3.640			
260		2.625		1.135										
275					640									
280				635			2.035							
300		18.035	47.165	31.150	22.725	3.280	48.505							

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

**S355J2: 12 Meters**

DATE:22/06/2017

KG ANCHO/WIDTH	ESPESOR/THICKNESS											
	8	10	12	15	16	20	25	30	35	40	50	60
80				1.255							6.835	1.810
100	12.530	31.900	2.510	15.015		25.100	2.375					
110												2.470
120	3.835	12.920	9.590	17.945		15.335	8.010					
130			1.605			11.495						
140		6.500			14.630	1.850						
150		48.595	14.055	16.460		45.580	2.130	9.165				
160		4.035						8.080				
180		6.315	5.845	9.915		14.285	8.520	1.035				
200		3.320	17.360	23.610		20.195	9.930			760		
220	17.150	14.540	2.525	3.725		4.185	36.530	27.050				
250		8.850	1.710	14.290		5.220	34.960	116.790	3.295			
300		26.500	19.235	41.120		13.135	2.835	17.860				

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

**C45: 6 Meters**

DATE : 22/06/2017

KG ANCHO/WIDTH	ESPESOR/THICKNESS										
	8	10	12	15	20	25	30	35	40	50	80
50				2.535							
60							1.720				
70			1.210				1.550			40.440	
80										15.750	
90			3.675								
100		940									
110	560			2.545		2.150				2.940	
120			1.920						1.370		
130	650	2.255									
150				120	2.240	7.090					
160		2.320				6.860		3.780	2.780		
180		3.530	2.130							2.520	
200						1.175		2.340			16.705
250				1.480							

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE:22/06/2017

**C35: 6 Meters**

KG ANCHO/WIDTH	ESPESOR/THICKNESS										
	10	12	15	20	25	30	40	50	60	70	80
50		1.490		3.760			1.820				
60		1.155		2.340		1.265	3.095				
70			1.980		1.335						
80		1.125						1.175			
90					3.825			7.535			
100			835			3.350	765			6.670	1.900
110	1.080						2.095				
120	1.890			575	2.160	1.555				7.085	6.805
130	250								2.250		
140			2.360	1.325		1.205					
150			1.955					3.575			5.725
160				1.095							
170				320							
180				1.030							
200				1.300							

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE:22/06/2017

**16MnCr5: 6 Meters**

KG ANCHO/WIDTH	ESPESOR/THICKNESS			
	8	25	40	50
60		1.950	1.045	
70				1.035
100				2.210
110			425	
120	2.075			

**27MnB5-2: 6 Meters**

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	8	10	12	15	20	25	30	35	40	
50		2.325					4.300			
60					3.170		3.290	425		
70							4.885	1.440		
80			1.125	16.850			2.310		13.385	
110	20.340									
120			560							
150			2.460							
160			2.210							
200						2.890				